

# Safety Data Sheet

according to UK REACH Regulation



**X280-A**

Revision date: 11.02.2024

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

X280-A

UFI: 9D10-80TC-P00W-E9X5

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Klebstoffe, Dichtstoffe

#### Uses advised against

Es liegen keine Informationen vor.

### 1.3. Details of the supplier of the safety data sheet

Company name: Hottinger Brüel & Kjaer  
Street: Im Tiefen See 45  
Place: D-64293 Darmstadt  
Telephone: +49 (0)6151 803-0  
Internet: www.hbm.com  
Responsible Department: +44 20 3807 3798 support@hbm.com

### 1.4. Emergency telephone number:

+44 2038073798

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GB CLP Regulation

Acute Tox. 4; H302  
Skin Sens. 1; H317  
Muta. 2; H341  
STOT RE 2; H373  
Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### GB CLP Regulation

#### Hazard components for labelling

4,4'-Methylenbis[N,N-bis(2,3-epoxypropyl)anilin]

Signal word: Warning

#### Pictograms:



#### Hazard statements

H302 Harmful if swallowed.  
H317 May cause an allergic skin reaction.  
H341 Suspected of causing genetic defects.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

P270 Do not eat, drink or smoke when using this product.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.

# Safety Data Sheet

according to UK REACH Regulation



## X280-A

Revision date: 11.02.2024

Page 2 of 10

P202 Do not handle until all safety precautions have been read and understood.  
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

### Special labelling of certain mixtures

Restricted to professional users.

### Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:



### Hazard statements

H317-H341

### 2.3. Other hazards

Es liegen keine Informationen vor.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	GHS Classification			
28768-32-3	4,4'-Methylenbis[N,N-bis(2,3-epoxypropyl)anilin]			30-50 %
	249-204-3			
	Skin Sens. 1, Aquatic Chronic 2; H317 H411			

Full text of H and EUH statements: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove affected person from the danger area and lay down. If unconscious but breathing normally, place in recovery position and seek medical advice. First aider: Pay attention to self-protection!

#### After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

# Safety Data Sheet

according to UK REACH Regulation



**X280-A**

Revision date: 11.02.2024

Page 3 of 10

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### **Suitable extinguishing media**

Water spray jet, Dry extinguishing powder, Foam

#### **Unsuitable extinguishing media**

Full water jet

### 5.2. Special hazards arising from the substance or mixture

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Co-ordinate fire-fighting measures to the fire surroundings.

#### **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Do not breathe gas/vapour/aerosol.

Provide adequate ventilation as well as local exhaust at critical locations.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Use personal protection equipment.

Personal protection equipment: see section 8

#### **For non-emergency personnel**

Remove persons to safety.

#### **For emergency responders**

First aider: Pay attention to self-protection!

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow uncontrolled discharge of product into the environment.

### 6.3. Methods and material for containment and cleaning up

#### **For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Take up mechanically, placing in appropriate containers for disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Wear personal protection equipment (refer to section 8).

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### **Advice on safe handling**

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

#### **Advice on protection against fire and explosion**

Löschmaßnahmen auf die Umgebung abstimmen.

# Safety Data Sheet

according to UK REACH Regulation



**X280-A**

Revision date: 11.02.2024

Page 4 of 10

## Further information on handling

Wear personal protection equipment (refer to section 8). Do not empty into drains. When using do not eat, drink, smoke, sniff.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

### Hints on joint storage

TRGS 510

### Further information on storage conditions

No information available.

## 7.3. Specific end use(s)

Adhesives, sealants

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Additional advice on limit values

To date, no national critical limit values exist.

### 8.2. Exposure controls



#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

#### Protective and hygiene measures

When using do not eat or drink. Do not breathe gas/fumes/vapour/spray.

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. Wear suitable protective clothing, gloves and eye/face protection.

Draw up and observe skin protection programme.

#### Eye/face protection

Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. EN ISO 374

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Thickness of the glove material:  $\geq 0,7\text{mm}$

Suitable gloves type NBR (Nitrile rubber)

Breakthrough time:  $>480\text{ min}$

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Used working clothes should not be worn outside the work area. Separate storage of work clothes.

#### Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Filtering device (full mask or mouthpiece) with filter: a

# Safety Data Sheet

according to UK REACH Regulation



**X280-A**

Revision date: 11.02.2024

Page 5 of 10

## Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:		
Odour:	Adhesives, sealants	
pH-Value:		not determined

#### Changes in the physical state

Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		nicht bestimmt
Sublimation point:		not determined
Softening point:		not determined
Pour point:		not determined
not determined:		
Flash point:		228 °C
Sustaining combustion:		No data available

#### Flammability

Solid/liquid:		not determined
---------------	--	----------------

#### Explosive properties

not determined

Lower explosion limits:		not determined
Upper explosion limits:		not determined
Auto-ignition temperature:		not determined

#### Self-ignition temperature

Solid:		not determined
Gas:		not determined

Decomposition temperature:		not determined
----------------------------	--	----------------

#### Oxidizing properties

not determined

Vapour pressure: (at 20 °C)		< 0,1 hPa
Vapour pressure: (at 50 °C)		not determined
Density (at 20 °C):		1,17 g/cm <sup>3</sup>
Bulk density:		not determined
Water solubility:		not determined

#### Solubility in other solvents

not determined

Partition coefficient n-octanol/water:		not determined
Viscosity / dynamic:		not determined
Viscosity / kinematic:		not determined
Flow time:		not determined
Relative vapour density:		not determined

# Safety Data Sheet

according to UK REACH Regulation



**X280-A**

Revision date: 11.02.2024

Page 6 of 10

Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	not determined

## **9.2. Other information**

Solid content:	not determined
----------------	----------------

No information available.

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**

No information available.

### **10.2. Chemical stability**

The substance is chemically stable under recommended conditions of storage, use and temperature.

### **10.3. Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

### **10.4. Conditions to avoid**

No information available.

### **10.5. Incompatible materials**

No information available.

### **10.6. Hazardous decomposition products**

No information available.

### **Further information**

No information available.

## **SECTION 11: Toxicological information**

### **11.1. Information on hazard classes as defined in GB CLP Regulation**

#### **Acute toxicity**

Harmful if swallowed.

#### **ATEmix calculated**

ATE (oral) 1000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

#### **Irritation and corrosivity**

Based on available data, the classification criteria are not met.

#### **Sensitising effects**

May cause an allergic skin reaction. (4,4'-Methylenbis[N,N-bis(2,3-epoxypropyl)anilin])

#### **Carcinogenic/mutagenic/toxic effects for reproduction**

Suspected of causing genetic defects.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### **STOT-single exposure**

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **Specific effects in experiment on an animal**

No information available.

# Safety Data Sheet

according to UK REACH Regulation



**X280-A**

Revision date: 11.02.2024

Page 7 of 10

## **Additional information on tests**

No information available.

## **Practical experience**

No information available.

## **11.2. Information on other hazards**

### **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### **Other information**

No information available.

## **Further information**

No information available.

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

No information available.

### **12.2. Persistence and degradability**

No information available.

### **12.3. Bioaccumulative potential**

No information available.

### **12.4. Mobility in soil**

No information available.

### **12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

### **12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### **12.7. Other adverse effects**

No information available.

## **Further information**

No information available.

## **SECTION 13: Disposal considerations**

### **13.1. Waste treatment methods**

#### **Disposal recommendations**

Dispose of waste according to applicable legislation.

## **SECTION 14: Transport information**

### **Land transport (ADR/RID)**

<b><u>14.1. UN number:</u></b>	UN 3082
<b><u>14.2. UN proper shipping name:</u></b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxidharz)
<b><u>14.3. Transport hazard class(es):</u></b>	9
<b><u>14.4. Packing group:</u></b>	III
Hazard label:	9

# Safety Data Sheet


according to UK REACH Regulation



**X280-A**

Revision date: 11.02.2024

Page 8 of 10



Classification code: M6  
Special Provisions: 274 335 375 601  
Limited quantity: 5 L  
Excepted quantity: E1  
Transport category: 3  
Hazard No: 90  
Tunnel restriction code: -

## Inland waterways transport (ADN)

**14.1. UN number:** UN 3082  
**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxidharz)  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** III  
Hazard label: 9



Classification code: M6  
Special Provisions: 274 335 375 601  
Limited quantity: 5 L  
Excepted quantity: E1

## Marine transport (IMDG)

**14.1. UN number:** UN 3082  
**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy resin)  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** III  
Hazard label: 9



Special Provisions: 274 335 969  
Limited quantity: 5 L  
Excepted quantity: E1  
EmS: F-A, S-F

## Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 3082  
**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy resin)  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** III  
Hazard label: 9





# Safety Data Sheet

according to UK REACH Regulation



## X280-A

Revision date: 11.02.2024

Page 9 of 10

Special Provisions: A97 A158 A197 A215  
Limited quantity Passenger: 30 kg G  
Passenger LQ: Y964  
Excepted quantity: E1  
IATA-packing instructions - Passenger: 964  
IATA-max. quantity - Passenger: 450 L  
IATA-packing instructions - Cargo: 964  
IATA-max. quantity - Cargo: 450 L

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: not applicable

### 14.6. Special precautions for user

No information available.

### 14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to Directive 2012/18/EU (SEVESO III): E2 Hazardous to the Aquatic Environment

#### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### Changes

This data sheet contains changes from the previous version in section(s): 2,5,6,7,9,10,11,12,13,14.

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Skin Sens. 1; H317	Calculation method
Muta. 2; H341	Calculation method
STOT RE 2; H373	Calculation method
Aquatic Chronic 2; H411	Calculation method

### Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.  
H317 May cause an allergic skin reaction.

# Safety Data Sheet

according to UK REACH Regulation



## X280-A

Revision date: 11.02.2024

Page 10 of 10

H341	Suspected of causing genetic defects.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*