

X280-B

Revision date: 11.02.2024

Page 1 of 10

1. Identification**Product identifier**

X280-B

Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Härter

Uses advised against

Es liegen keine Informationen vor.

Details of the supplier of the safety data sheet

Company name: Hottinger Brüel & Kjaer
Street: Im Tiefen See 45
Place: D-64293 Darmstadt
Telephone: +49 (0)6151 803-0
Internet: www.hbm.com
Responsible Department: +49(0)6131 19240 support@hbm.com

Emergency telephone number: 1703-741-5970**2. Hazard identification****Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Skin Corr. 1B; H314
Eye Dam. 1; H318
Skin Sens. 1; H317
Muta. 2; H341
Repr. 1B; H360D

Full text of hazard statements: see SECTION 16.

Label elements**Regulation (EC) No 1272/2008****Signal word:** Danger**Pictograms:****Hazard statements**

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
H360D May damage the unborn child.

Precautionary statements

P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Special labelling of certain mixtures

Restricted to professional users.
Restricted to professional users.

X280-B

Revision date: 11.02.2024

Page 2 of 10

Other hazards

No information available.

3. Composition/information on ingredients**Mixtures****Hazardous components**

CAS No	Chemical name	Quantity
26950-63-0	Triethylenetetramine, propoxylated	12 - 28 %
112-24-3	3,6-diazaoctanethylenediamin; triethylenetetramine	11-24 %
288-32-4	imidazole	5 - 10 %
108-95-2	phenol; carbolic acid; monohydroxybenzene; phenylalcohol	0,18 - 1 %

Full text of H statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
112-24-3	203-950-6	3,6-diazaoctanethylenediamin; triethylenetetramine	11-24 %
		dermal: LD50 = 805 mg/kg; oral: LD50 = 2500 mg/kg	
288-32-4	206-019-2	imidazole	5 - 10 %
		oral: ATE = 500 mg/kg	
108-95-2	203-632-7	phenol; carbolic acid; monohydroxybenzene; phenylalcohol	0,18 - 1 %
		inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: ATE = 100 mg/kg Skin Corr. 1B; H314: >= 3 - 100 Skin Irrit. 2; H315: >= 1 - < 3 Eye Irrit. 2; H319: >= 1 - < 3	

Further Information

No information available.

4. First-aid measures**Description of first aid measures****General information**

Remove affected person from the danger area and lay down. If unconscious but breathing normally, place in recovery position and seek medical advice. First aider: Pay attention to self-protection!

After inhalation

When in doubt or if symptoms are observed, get medical advice.

Provide fresh air.

In case of respiratory tract irritation, consult a physician.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Remove contaminated, saturated clothing immediately.

In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.

Never give anything by mouth to an unconscious person or a person with cramps.

Do NOT induce vomiting.

Most important symptoms and effects, whether acute or delayed

No information available.

X280-B

Revision date: 11.02.2024

Page 3 of 10

Indication of immediate medical attention and special treatment needed

No information available.

5. Fire-fighting measures**Extinguishing media****Suitable extinguishing media**

Water spray jet, Dry extinguishing powder, Foam

Unsuitable extinguishing media

Full water jet

Specific hazards arising from the hazardous product

Es liegen keine Informationen vor.

Special protective equipment and precautions for fire-fighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures****General advice**

First aider: Pay attention to self-protection!

Remove all sources of ignition.

Provide adequate ventilation.

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Use personal protection equipment.

For non-emergency personnel

Remove persons to safety.

For emergency responders

First aider: Pay attention to self-protection!

Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow uncontrolled discharge of product into the environment.

Methods and material for containment and cleaning up**For cleaning up**

Take up mechanically, placing in appropriate containers for disposal.

Other information

Take up mechanically, placing in appropriate containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

7. Handling and storage**Precautions for safe handling****Advice on safe handling**

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by

X280-B

Revision date: 11.02.2024

Page 4 of 10

technical means.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on protection against fire and explosion

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Further information on handling

Wear personal protection equipment (refer to section 8). Do not empty into drains. When using do not eat, drink, smoke, sniff.

Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed and in a well-ventilated place.
Do not allow to enter into surface water or drains.
Do not allow uncontrolled discharge of product into the environment.

Hints on joint storage

TRGS 510

Further information on storage conditions

Keep container tightly closed in a cool, well-ventilated place.

8. Exposure controls/Personal protection**Control parameters****Additional advice on limit values**

No information available.

Exposure controls**Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.
In use, may form flammable/explosive vapour-air mixture.
Use explosion-proof electrical equipment.
Use non-sparking tools.

Protective and hygiene measures

When using do not eat or drink.
Do not breathe gas/fumes/vapour/spray.
After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.
Wear suitable protective clothing, gloves and eye/face protection.
Draw up and observe skin protection programme.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. EN ISO 374
The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.
Thickness of the glove material: $\geq 0,7\text{mm}$
Suitable gloves type NBR (Nitrile rubber)
Breakthrough time: $\geq 480\text{ min}$
For special purposes, it is recommended to check the resistance to chemicals of the protective gloves

X280-B

Revision date: 11.02.2024

Page 5 of 10

mentioned above together with the supplier of these gloves.

Skin protection

Used working clothes should not be worn outside the work area.

Separate storage of work clothes.

Wear anti-static footwear and clothing

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Filtering device (full mask or mouthpiece) with filter: a

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

9. Physical and chemical properties**Information on basic physical and chemical properties**

Physical state:	Liquid	
Colour:	light brown	
Odour:	Phenols	
pH-Value:		not determined

Changes in the physical state

Melting point/freezing point:		No information available.
Boiling point or initial boiling point and boiling range:		107 °C
Sublimation point:		not determined
Softening point:		not determined
Pour point:		not determined
not determined:		
Flash point:		135 °C
Sustaining combustion:		No data available

Flammability

Solid/liquid:		not determined
---------------	--	----------------

Explosive properties

In use, may form flammable/explosive vapour-air mixture.

Lower explosive limits:		0,1 vol. %
Upper explosive limits:		15 vol. %
Auto-ignition temperature:		300 °C

Self-ignition temperature

Solid:		not determined
Gas:		not determined
Decomposition temperature:		not determined

Oxidizing properties

not determined

Vapour pressure: (at 20 °C)		0,013 hPa
--------------------------------	--	-----------

X280-B

Revision date: 11.02.2024

Page 6 of 10

Vapour pressure: (at 50 °C)	15 hPa
Density (at 20 °C):	1,1 g/cm ³
Bulk density:	not determined
Water solubility:	not determined
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic:	not determined
Flow time:	not determined
Relative vapour density:	not determined
Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	30,00 %
<u>Other information</u>	
Solid content:	0,40 %

10. Stability and reactivity**Reactivity**

No information available.

Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature.

Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

Conditions to avoid

No information available.

Incompatible materials

No information available.

Hazardous decomposition products

No information available.

Further information

No information available.

11. Toxicological information**Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 5000 mg/kg; ATE (dermal) 3976 mg/kg; ATE (inhalation vapour) 300,0 mg/l; ATE (inhalation dust/mist) 50,00 mg/l

X280-B

Revision date: 11.02.2024

Page 7 of 10

CAS No	Chemical name				
	Route of exposure	Dose	Species	Source	Method
112-24-3	3,6-diazaoctanethylenediamin; triethylenetetramine				
	oral	LD50 2500 mg/kg	Ratte		
	dermal	LD50 805 mg/kg	Kaninchen		
288-32-4	imidazole				
	oral	ATE 500 mg/kg			
108-95-2	phenol; carboic acid; monohydroxybenzene; phenylalcohol				
	oral	ATE 100 mg/kg			
	dermal	ATE 300 mg/kg			
	inhalation vapour	ATE 3 mg/l			
	inhalation dust/mist	ATE 0,5 mg/l			

Irritation and corrosivity

Causes severe skin burns and eye damage.
Causes serious eye damage.

Sensitizing effects

May cause an allergic skin reaction. (3,6-diazaoctanethylenediamin; triethylenetetramine)

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing genetic defects. (phenol; carboic acid; monohydroxybenzene; phenylalcohol)
Carcinogenicity: Based on available data, the classification criteria are not met.
Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No information available.

Additional information on tests

No information available.

Practical experience

No information available.

Information on other hazards**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other information

No information available.

Further information

No information available.

12. Ecological information

X280-B

Revision date: 11.02.2024

Page 8 of 10

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
112-24-3	3,6-diazaoctanethylenediamin; triethylenetetramine					
	Acute algae toxicity	ErC50 > 100 mg/l	72 h			
	Acute crustacea toxicity	EC50 92 mg/l	48 h	Daphnia magna		
108-95-2	phenol; carboic acid; monohydroxybenzene; phenylalcohol					
	Acute algae toxicity	ErC50 229 mg/l	72 h		GESTIS	

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-24-3	3,6-diazaoctanethylenediamin; triethylenetetramine	-1,66
108-95-2	phenol; carboic acid; monohydroxybenzene; phenylalcohol	1,5

Mobility in soil

No information available.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods**Disposal recommendations**

Dispose of waste according to applicable legislation.

14. Transport information

Canadian TDG**UN number or ID number:**

UN 3267

Proper shipping name:

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

Hazard classes:

8

Packing group:

III

Hazard label:

8

Limited quantity:

5 L

**Marine transport (IMDG)****UN number:**

UN 3267

United Nations proper shipping name:

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
(fatty acids, C18-unsatd., dimers, polymers with tall-oil fatty acids, tetraethylenepentamine and triethyleneteramine, solution)

X280-B

Revision date: 11.02.2024

Page 9 of 10

Transport hazard class(es): 8
Packing group: III
 Hazard label: 8



Special Provisions: 223 274
 Limited quantity: 5 L
 Excepted quantity: E1
 EmS: F-A, S-B
 Segregation group: 18 - alkalis

Air transport (ICAO-TI/IATA-DGR)

UN number: UN 3267
United Nations proper shipping name: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (fatty acids, C18-unsatd., dimers, polymers with tall-oil fatty acids, tetraethylenepentamine and triethyleneteramine, solution)

Transport hazard class(es): 8
Packing group: III
 Hazard label: 8



Special Provisions: A3 A803
 Limited quantity Passenger: 1 L
 Passenger LQ: Y841
 Excepted quantity: E1
 IATA-packing instructions - Passenger: 852
 IATA-max. quantity - Passenger: 5 L
 IATA-packing instructions - Cargo: 856
 IATA-max. quantity - Cargo: 60 L

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



15. Regulatory information

Canadian regulations

16. Other information

Changes

This data sheet contains changes from the previous version in section(s): 6,7,8,9,11,14.

X280-B

Revision date: 11.02.2024

Page 10 of 10

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008

Classification	Classification procedure
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
Muta. 2; H341	Calculation method
Repr. 1B; H360D	Calculation method

Relevant H statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H360D	May damage the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)